

SKIRTING

VARIIFORM

BEST QUALITY™

SKIRTING

Variform®: An Industry Leader in Vinyl Skirting

Variform has been an industry leader in the vinyl skirting industry for over 20 years. We manufacture skirting products in colors and styles suitable for simple single or larger double homes, completing their appearance.

As a leading manufacturer of vinyl products, Variform has continuously improved its technology and processes to offer the highest quality vinyl skirting.

We use state-of-the-art technology to guarantee color accuracy and consistency from panel to panel. Our easy-to-install panels are impact tested and checked for compound consistency and heat distortion.

All Variform products are made in the US, built to stand the test of time and backed by a Limited Lifetime Warranty.



Beige



Clay



Gray



Pearl



Tan



White

VARIBEST[®]

VINYL SKIRTING

Best Performance and Appearance

- Realistic appearance of wainscoting for a beautiful skirting alternative
- Hidden vents provide function without sacrificing beauty
- Specially designed locking system provides maximum performance



VariBest Materials Calculator

	12' x					14' x					16' x				24' x			28' x	
Size of Home	50'	55'	60'	65'	70'	60'	65'	70'	80'	60'	65'	70'	80'	60'	65'	70'	65'	70'	
Perimeter (linear measurement)	120'	130'	140'	150'	160'	148'	158'	162'	182'	152'	162'	166'	188'	154'	174'	180'	182'	192'	
Height of Skirting (Panel Cut Length)	NUMBER OF PANELS REQUIRED																		
16" - 18"	14	15	17	18	19	18	19	19	21	18	19	20	22	18	21	21	21	23	
19" - 20"	16	17	18	20	21	19	21	21	24	19	21	22	25	29	23	24	24	25	
21" - 24"	19	20	22	24	25	23	25	25	28	23	25	26	29	24	27	28	28	30	
25" - 28"	22	24	26	27	29	27	29	30	33	27	30	30	34	28	32	33	33	35	
29" - 36"	28	30	33	35	37	35	37	38	42	35	38	39	44	36	41	42	42	45	
37" - 48"	37	40	44	47	50	46	49	50	56	46	50	52	58	48	54	56	56	60	
Rails (# of pcs)	11	12	13	13	14	11	14	14	16	13	14	15	18	15	16	16	16	17	

PROGUARD[®]

VINYL SKIRTING


Outstanding Skirting Value

- Extra-wide, 16" panels mean fewer panels to cut and saves on installation time
- Attractive rough-sawn texture
- Available in solid and patented center-vented panels designed for maximum air flow



ProGuard Materials Calculator

Size of Home	12' x					14' x					16' x				24' x			28' x	
	50'	55'	60'	65'	70'	60'	65'	70'	80'	60'	65'	70'	80'	60'	65'	70'	65'	70'	
Perimeter (linear measurement)	120'	130'	140'	150'	160'	148'	158'	162'	182'	152'	162'	166'	188'	154'	174'	180'	182'	192'	
Height of Skirting (Panel Cut Length)	NUMBER OF PANELS REQUIRED																		
16" - 18"	12	13	14	15	15	14	15	16	18	14	16	16	19	16	17	18	18	18	
19" - 20"	13	14	15	17	18	16	17	18	20	16	18	18	21	18	19	20	20	21	
21" - 24"	15	17	18	19	20	18	20	21	23	19	21	21	25	21	22	23	23	24	
25" - 28"	18	20	21	23	24	22	24	25	28	23	25	25	28	25	27	27	28	29	
29" - 36"	23	25	27	29	30	27	30	31	35	28	31	32	36	31	33	35	35	36	
37" - 48"	30	33	35	38	40	36	40	41	46	37	41	42	48	41	44	46	46	48	
Rails (# of pcs)	11	12	13	13	14	11	14	14	16	13	14	15	18	15	16	16	16	17	



Components Make the Difference

(Colors are used in photo are for enhancement purposes only).

- 1 Our front rail resists warping and blowout because an overlapping design allows for expansion and contraction of the panels in any climate.
- 2 Removable panel design lets you store garden tools, lawn furniture and children's toys out of sight, but not out of reach.
- 3 Panel profile adds strength.
- 4 The backrail is designed to receive the front rail and panels self-adjust to ground level fluctuations caused by changes in weather and frost heave. Pre-notched front top rails also quicksnap into back rails reducing installation time. Installation guides keep panels from snagging on rail fasteners and buckling.
- 5 Special interlocking panels keep skirting secure and locks hidden to enhance your home's appearance.
- 6 Ventilated panels help eliminate moisture buildup and allow for proper air circulation. Please check your home's specifications for proper ventilation requirements.
- 7 Our "F-shaped" bottom rail provides a stable foundation and prevents the channel from buckling. It also provides pre-cut slots for ease of ground attachment.

PREMIUM VARIBEST VINYL SKIRTING HOMEOWNERS LIMITED LIFETIME WARRANTY

Variform, Inc., a manufacturer of vinyl products since 1964, produces vinyl skirting in accordance with high standards of design, engineering and product performance. With years of experience, Variform, Inc. is devoted to research, development and production of quality vinyl skirting products and has become an industry leader in its field and offers you the following Limited Lifetime Warranty.

SCOPE OF COVERAGE

Variform, Inc. warrants to the original property owner(s) at the time of installation that under normal use and after proper installation and subject to the terms and conditions of this Limited Lifetime Warranty, Vinyl Skirting from Variform, Inc. will not, due to manufacturing defect, check, craze, corrode, flake, peel or weather unevenly. (Uneven weathering, such as "checkerboarding," is uneven or non-uniform change in the color of contiguous elements of the Variform Vinyl Skirting under uniform, even and equal exposure to sunlight, natural radiation, rain, natural extremes of temperature or other atmospheric conditions.) This Limited Lifetime Warranty shall remain in force until the date all of the original property owner(s) at the time of installation cease to own an interest in the property.

Limited Lifetime Warranty coverage is subject to the conditions and limitations set forth in this warranty.

OBTAINING COVERAGE

The attached Warranty Registration Card must be completed, signed by the property owner(s), and returned to Variform, Inc., within thirty (30) days after completion of the installation in order for the property owner(s) to be entitled to the rights, and be bound by the limitations, of this Limited Lifetime Warranty.

OBTAINING PERFORMANCE ON THIS WARRANTY

If you, the owner, believe the Variform Vinyl Skirting Products installed on your home have checked, crazed, corroded, flaked, peeled or weathered unevenly due to manufacturing defect, write to the Warranty Department at Variform, Inc., P.O. Box 559, Kearney, Missouri 64060, describing the claimed defect.

The homeowner will be requested to submit appropriate photos and/or samples showing the alleged defect. Upon receipt of this information, Variform, Inc. may request additional information and shall have the right to perform a field inspection by its authorized representatives.

Variform, Inc. may require evidence of ownership and date of installation in deciding whether a warranty claim is covered.

Variform, Inc. does not install Vinyl Skirting Products and does not warrant against damage or defects caused by faulty installation. Faulty installation of these products renders all Limited Lifetime Warranty coverage null and void. Variform, Inc. is not responsible for lack of performance in any way by the installing contractor.

If Variform, Inc. determines that the product is defective in accordance with the terms of this Limited Lifetime Warranty, Variform, Inc. will repair, replace or refund the purchase price of (at its option) the defective part or portion, including material and labor, at no cost to the original purchaser(s).

Do not begin any type of repair work before you receive written notice from Variform, Inc. All Limited Lifetime Warranty work is to be approved in writing in advance by Variform, Inc. Repairs will be performed at a time mutually agreed upon by the customer and Variform, Inc. Since a color variance may occur between any new replacement component in comparison to the original component, this condition shall not be indicative of a defective skirting product. Variform, Inc. reserves the right to discontinue or modify any skirting product, line or color without notifying the original purchaser. If the original skirting product is not available, Variform, Inc. will replace the defective component with a product of equal value or quality, or (at its option) refund the purchase price of the defective skirting components.

CONDITIONS NOT COVERED BY THIS WARRANTY

The Lifetime Limited Warranty coverage specified above relates only to defects in the manufacture of Variform Vinyl Skirting, as enumerated above. Without limiting the foregoing, this Limited Lifetime Warranty does not cover damage caused by, among other things, weathering, oxidation, faulty or improper installation, settlement of the building, failure of the structure (including foundations and wall), frost heave, use of incompatible accessories, fire, flood, lightning, ice, windborne objects, wind-storm, earthquake, hurricane, sun, cyclone, gale, tornado, weather of a catastrophic nature, Acts of God, intentional acts, unreasonable use, misuse, physical abuse, weed eater damage, vandalism, riot, insurrection or civil disorder, accidental damage, corrosive atmosphere (such as that contaminated by acid rain, harmful chemicals or vapors), negligence in providing or failure to provide reasonable and necessary maintenance to prevent an accumulation of surface dirt, chalk, staining or mildew, or damage resulting from the use of harmful cleaning compounds. (Please see care and maintenance instructions on the reverse side of this warranty.)

IMPORTANT

Color change of the Variform Vinyl Skirting Products due to weathering is excluded from this Limited Lifetime Warranty because weathering will cause any colored surface to gradually lighten, darken, chalk, or acquire a surface accumulation of dirt or stains. The severity of these conditions depends on air quality, the geographic location of the property, and other local conditions over which Variform, Inc., has no control. Weathering is defined as changes caused by exposure to sunlight, rain, and extremes of temperature and other atmospheric conditions.

WE ARE NOT RESPONSIBLE FOR AND DISCLAIM ANY EXPRESS WARRANTY NOT MADE IN THIS DOCUMENT. ANY IMPLIED WARRANTY, INCLUDING WITHOUT LIMITATION ANY IMPLIED WARRANTY OF MERCHANTABILITY OR OF FITNESS FOR A PARTICULAR PURPOSE, IS LIMITED IN DURATION TO THE DURATION OF THE EXPRESS WARRANTY CONTAINED IN THIS WARRANTY DOCUMENT, UNLESS A SHORTER PERIOD IS PERMITTED BY LAW.

THE REMEDIES PROVIDED HEREIN ARE A WARRANTY CLAIMANT'S SOLE AND EXCLUSIVE REMEDIES, WHETHER FOR CLAIMS UNDER AN EXPRESS OR ANY IMPLIED WARRANTY, BREACH OF EITHER, TORT OR OTHERWISE.

IN NO EVENT ARE WE LIABLE FOR ANY SPECIAL, INDIRECT, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF THE BREACH OF THIS WARRANTY OR THE PURCHASE, INSTALLATION, OWNERSHIP OR USE OF OUR PRODUCTS, NOR SHALL WE BE RESPONSIBLE FOR REPRESENTATIONS, WARRANTIES OR AGREEMENTS MADE BY ANY EMPLOYEE, AGENT OR OTHER PERSON THAT PURPORT TO MODIFY OR ADD TO ANY OF OUR OBLIGATIONS UNDER THIS DOCUMENT. YOUR EXCLUSIVE REMEDY FOR ANY BREACH OF WARRANTY IS SET FORTH IN THIS DOCUMENT.

SOME STATES DO NOT ALLOW LIMITATIONS ON HOW LONG AN IMPLIED WARRANTY LASTS OR THE LIMITATION OR EXCLUSION OF INCIDENTAL OR CONSEQUENTIAL DAMAGES, SO THE ABOVE LIMITATIONS OR EXCLUSIONS MAY NOT APPLY TO YOU. THIS WARRANTY GIVES YOU SPECIFIC RIGHTS, AND YOU MAY HAVE OTHER LEGAL RIGHTS WHICH VARY FROM STATE TO STATE.

HOW TO CARE FOR YOUR SKIRTING SYSTEM

Solid Vinyl Skirting can be cleaned easily with an ordinary garden hose. A soft-bristled brush attachment on the hose will make the job easier.

A strong detergent mixed with water can be used when the skirting is soiled. To avoid spotting, the cleaning solution should not stand on the surface for a prolonged time before rinsing.

Avoid use of abrasive cleaners, sandpaper and abrasive pads that may damage the surface of the skirting system. Variform--for beauty, durability and protection.

WARRANTY REGISTRATION CARD
VARIFORM VARIBEST VINYL SKIRTING

This form to be filled in, signed by purchaser and mailed to Variform, Inc. within thirty (30) days after installation has been completed.

The undersigned certifies that _____
(Name of installer)

has installed to our satisfaction
Variform Vinyl Skirting products _____
(Color)

on the home of _____
(Printed name of homeowner(s)/purchaser(s))

at _____ Phone No. (____) _____
(Street) (City) (State) (Zip)

Date Installed _____

Mail to: Variform, Inc.
P.O. Box 559
Kearney, Missouri 64060

Signature of original purchaser(s)

Date



VARIFORM™

SIDING | ACCESSORIES | TRIM | HOME



Complete the look.

Don't overlook the details! Variform offers a great selection of matching accessories in a variety of colors and styles to finish your home, your way. From corners to columns, guttering to soffit, door surrounds to fascia, you'll find everything you need to define your home, beautifully—minus the maintenance.

VINYL SIDING | SOFFIT | RAINWARE | ALUMINUM | ENHANCEMENTS



**MADE IN
THE U.S.A.**

**ASTM
D 3679**

National
Evaluation
Report
(N.E.R. - 466)



303 W. Major
P.O. Box 559
Kearney, MO 64060-0559
Phone: (800) 800.2244
Fax: (816) 903.6942
Web: www.variform.com

998590 / BC / RP 0606 / 2500
© Variform and Best Quality
are registered trademarks
of Variform, Inc.

© Variform, Inc. 2006

Due to printing limitations colors may not be
exactly as shown. Contact your distributor for
actual product samples.